

# DEMOLITION DERBY

Superintendent – Frank Kabana

(315)-939-9057

## GENERAL RULES FOR ALL CLASSES

**ENTRY FEE - \$50.00 FOR DRIVER AND CAR PIT PASS - \$30.00**

**DRIVER INFORMATION:** Driver and pit crew must be 16 years of age or older. Drivers 16 and 17 years old are permitted with a signed release by parent and must be notarized. A 2<sup>nd</sup> release must be signed upon entry. Pit crew 16 and 17 years old must have a parent or guardian with them at the pit gate to sign a minor's release.

- ✓ Drivers must wear a SNELL 85 or DOT approved helmet. (Full-face helmet recommended)
- ✓ Some form of eye protection is required.
- ✓ Drivers should wear a clean long sleeve shirt and long pants when in competition (coveralls or fire suits are recommended).

**Batteries MUST be completely covered. No repair plates will be allowed in ANY CLASS WITH THE EXCEPTION OF V-8 TANK.**

**ALL GLASS must be removed. The SUNROOF opening must be covered.**

**DOT tires ONLY. NO skids or Ag tires, you may run rims on the non-drive axle. Gas tanks MUST be chained or wired only. You cannot put seat belts or ratchet straps on the gas tank.**

**CONDUCT:** Drivers are responsible for the actions of their crew members. Any driver or crew member not obeying the rules will be disqualified.

**No alcoholic beverages allowed in pits or on grounds. No one under the influence of alcohol or drugs will be allowed to run.**

**THE DRIVERS' DOOR MUST BE PAINTED WHITE. YOU WILL NOT BE ALLOWED TO RUN WITHOUT THIS BEING DONE!!!**

All cars are inspected; cars not meeting regulations will not be allowed to run. No money refunded. Any car stalled, stuck, or hooked for more than 1 minute will be disqualified.

**No sand bagging is allowed; you will be immediately disqualified.**

All participants must adhere to NYS law regarding Towing of vehicles.

**IF YOU DRIVE PAST OR ARE PUSHED OUT OF THE BARRIERS, THAT IS AN AUTOMATIC DISQUALIFICATION. THERE ARE NO EXCEPTIONS!!!!!!**

**THE DECISION OF THE SUPERINTENDENT IS FINAL!!!!!!!!!!**

***Any child 13 and under in the pit area will be escorted out. The driver responsible will be disqualified with NO REFUND OF ENTRY FEES.***

## **BONESTOCK COMPACTS & V-8's**

1. Bonestock means NO PRE-BENDING!
2. You may move the battery inside, (Safely secured!) 1 battery only.
3. The gas tank may be relocated inside or left in stock position if in front of the rear axle, fuel cells may be used. If using original or boat tank they must be covered. Fuel cells are not required to be covered.
4. 4-point simple cage may be used; it may not extend more than 3" past the door post. 3"x3"x1/4" max material size.
5. Bumpers - must remain stock! No swaps allowed, all bumpers must be held on with 2 or 3 strands of 9 wire or a small chain. No bumper covers.
6. Hoods/Trunks- may be bolted, chained or 9 wired. If bolted, you are allowed 4 bolts in each 3/8" max. Chains may not exceed 3/8" 4 spots each. 2 strands of 9 wire in 4 locations only. Approximately a 12"x12" hole must be cut in the hood and trunk.
7. Welding- You may weld the driver's door solid and the passenger door 4" on 4" off 4"x4"x1/4" maximum material. Cages allowed to be welded in. No other welding is allowed!!!
8. No reinforcement of any kind. This is a \*BONESTOCK\* class!
9. Class is open to any FWD car 4 or 6 cylinder, if RWD they must be under 107". No AWD allowed.
10. No trucks, ambulances, or hearses. Imperials are allowed.
11. NO AFTERMARKET ANYTHING WILL BE ALLOWED.
12. If it's not the rules don't do it, this is a stock class.

## **AWD (All Wheel Drive) Heat**

1. You may move the battery inside (safely secured!). 1 battery only.
2. The gas tank may be relocated inside or left in stock position if in front of rear axle, fuel cells may be used. If using original or boat tank they must be covered. Fuel cells are not required to be covered.
3. 4-point simple cage may be used; it may not extend more than 3" past the door post. 3"x3"x1/4" max material size.
4. Bumpers - any OEM car bumper or homemade bumpers up to the size of 4"x4"x1/4" (if pointed, point may not exceed 6" from back of bumper) loaded allowed. 1 plate on each side of frame rail allowed, up to 4"x4"x1/4". As well as a frame cap, which may not exceed 4"x4"x1/4".
5. Homemade bumpers are NOT allowed any gussets and are not to be capped on either end. MUST BE ABLE TO SEE STRAIGHT THROUGH.
6. Hoods/Trunks- may be bolted, chained or 9 wired. If bolted, you are allowed 4 bolts in each 3/8" max. Chains may not exceed 3/8" 4 spots each. 2 strands of 9 wire in 4 locations only. Approximately a 12"x12" hole must be cut in the hood and trunk.
7. Welding- You may weld the driver's door solid and the passenger door 4" on 4" off 4"x4"x1/4" maximum material. Cages allowed to be welded in. No other welding is allowed!!!
8. The class is open to AWD vehicles that are car/light SUV/crossovers. (4 & 6 cylinder only) V-8s are not allowed.
9. If it's not the rules, don't do it.

## **Build A Tank V-8's**

**Superintendent reserves the right to limit the time this class runs!**

1. The only inspection is a safety inspection.
2. DOT tires only.
- 3. Build it!**
4. No ambulances or hearses will be allowed.
5. Approximately a 12"x12" hole must be cut in the hood.
6. Hoods and trunks may be bolted, chained or nine wired.
7. You may move the gas tank and the battery inside. They must be securely covered.

## **Junk Run**

1. Any truck/van/SUV ½ ton and under.
2. Battery may be relocated inside the vehicle safely secured.
3. Gas tanks may be moved inside or to the truck bed (tight to the cab) gas tank protector may be used (24" maximum from the cab of truck) or SUV style vehicles must be 12" from the floor in front of rear axle. No excessive protectors!
4. Bumpers can be any OEM car or truck bumper. Homemade bumpers allowed (6"x6"x1/4" max tubing) are okay. You are allowed up to 2-4"x4"x1/4" plates per frame rail to weld the bumper on OR shocks.
5. Homemade bumpers are NOT allowed any gussets and are not to be capped on either end. **MUST BE ABLE TO SEE STRAIGHT THROUGH.**
6. Rears may be welded posi, no 4x4 allowed, 1 drive shaft of your choosing must be removed.
7. 4-point cage will be allowed 6"x6"x3/8" max material size.
8. You may weld the box to the cab in 3 spots 4"x4"x1/4" maximum material size. Truck beds may use 1-4"x4"x1/4" plate on each side of the box side to weld to the box. (Wedge styled fenders)
9. No aftermarket shifters allowed; simple floor shifters allowed. (example- threaded rod)
10. Trucks may fold over boxes using 2- 4"x4"x1/4" plate to secure the box to the bed. OR 2 chain 3/8" max from fenders to frame per side.
11. **If it's not the rules don't do it, it will not be allowed.**

**PLEASE MESSAGE WITH ANY QUESTIONS**

## PAYOUTS

**(1<sup>st</sup> 3 classes are guaranteed payouts)**

	<u>1<sup>st</sup></u>	<u>2<sup>nd</sup></u>	<u>3<sup>rd</sup></u>
Bonestock Compacts	\$5000.00	\$500.00	\$50.00
AWD	700.00	200.00	
Junk Run	600.00	200.00	
Bonestock V-8 (6 car minimum or will be prorated)	800.00	200.00	
Tank V-8	\$1000.00	0	