

WHEEL DAYS 2022

Demolition Derby

Superintendents: Joe Piersma (315) 941-7019

Paul Owen (315) 723-7443

Facebook: J&P Destruction

ENTRY FEE- \$30.00 FOR DRIVER AND CAR

DRIVERS INFORMATION: Driver and pit crew must be 16 years of age or older. Drivers 16 and 17 years old are permitted with a signed release by parent or guardian with them at the pit gate to sign a minor's release.

Drivers must wear clean long sleeve shirt and long pants when in competition (coveralls or fire suit recommended.) Drivers must wear a SNELL 85 or DOT approved helmet. (Full-face helmet recommended). Some form of eye protection required.

CONDUCT: Drivers are responsible for the actions of their crew members. Any driver or crew member not obeying the rules will be disqualified.

No alcoholic beverages allowed in pits or on grounds. No one under the influence of alcohol or drugs will be allowed to run.

All cars are inspected: Cars not meeting regulations will not be allowed to run. No money refunded.

Any car stalled, stuck, or hooked for more than 1 minute will be disqualified,

No sand bagging allowed; you will be disqualified.

All participants must adhere to NYS law regarding towing of vehicle.

Any child 13 and under in the pit area will be escorted out. The responsible driver will be disqualified with NO REFUND OF ENTRY FEES.

No profanity, car must be fully stripped. No flammable materials, no glass. Seatbelts required.

There will be best of show paint job. If you want to be entered, be sure to sign up at registration.

Inspection opens at 9:00 am. Closes at 12:30.

Guaranteed Payouts

V8- 1st-\$1200 + trophy 2nd \$300 + trophy

V6- 1st \$650 + trophy 2nd \$100 + trophy

4 Cyl 1st \$1000 + trophy 2nd \$250 + trophy

Vans- 1st \$500 + Trophy 2nd Trophy

Mad Dogs awarded for every heat

Overall Mad Dog for the night – Massive trophy

***These are the minimum guaranteed payouts; may increase with sponsorships.**

4 CYLINDERS, 6 CYLINDERS, VANS, SUV, SMALL TRUCKS

RULES

1. Homemade or OEM bumpers are allowed Bumpers no larger than 6 x 6 x ¼ square tube. Weld or bolt on 2 spots per bumper. Must chain or wire to sheet metal.
2. 1--6 x 4 x 1/4 plate per frame rail allowed. IF MORE YOU WILL CUT OR LOAD!
3. Any shifter & brake system allowed. MUST BE ABLE TO STOP!
4. Water boxes, transmission coolers allowed (no cradles allowed.)
5. Built struts/motormounts/tierods allowed.
6. 2 batteries allowed. Must be secured to floor or cage.
7. Gas tank may be inside, secured to floor or cage, 6" from floor. No plastic gas tanks inside. Tank protectors allowed 3" from speaker deck. Chained or wired tanks under the car permitted if in front of rear wheels.
8. Driver's door can be welded solid, nothing more than 2x2x¼ plate. Other doors 2" on and 2" off, chained or wire.
9. Trunk and hood may be welded in 6 spots, chained or wires. 2" plate or angle allowed. HOLE IN HOOD REQUIRED. Max hood bolt size ½".
10. Cages and HALO bars allowed. Must be sheet metal to sheet metal. Cannot touch floor or firewall, cage cannot extend 6" past the front door post.
11. Creasing/tucking and pre-bending allowed.
12. Any tire/flaps/weld in centers allowed.
13. Stacks allowed.
14. Anything smaller than ½ ton allowed for the small truck heat/suv heat. (examples: S10, Explorer, Minivan)

THE DECISION OF THE JUDGES ARE
FINAL!!!!!!!!!!

V-8 BONE STOCK

RULES

1. Bumper swaps allowed. May be bolt-on; use up to 3/8" bolt max. NO HOMEMADE bumpers will be allowed. Any OEM bumper allowed. Bolt up to 3/8" max, (can be bolts or welded.) 7x7x1/4 end cap.
2. DRIVER'S DOOR ONLY may be welded for safety 2x2x1/4 max material. Only 2" on 2" off. Other doors must be chained or wired, 2 spots per door.
3. Hood must have a hole cut in it for fire.
4. 4 spots on hood and trunk wired or chained down. 9 wire (3 strands only) or chain 3/8 max.
5. Can move tank and 1 battery to inside of car. Must be secured. No plastic tank. Battery box recommended.
6. DOT TIRE ONLY. Weld in center okay, NO Ag tires. Wheel weights must be removed.
7. Simple seat bar or 4 pt cage, 60" max. Sheet metal to sheet metal, cannot touch floor or firewall. Simple gas tank protector to secure your gas tank allowed, at least 3" from speaker deck.
8. Suspension must be free, nothing solid.
9. No pre-bending, tucking, or cutting. Rear notch is allowed.
10. Working hydraulic brake only. (no pinion) **MUST BE ABLE TO STOP!**
11. Motor swaps allowed, weld in stock motor mounts. Only simple weld in and go.
12. Simple trans cooler allowed "ICE BOX" style must be secure.
13. Stacks allowed.
14. Body mounts must be factory and in factory location.
15. Rear may be posi.
16. If it's a pre-ran and bent, will allow one 4 x 4 x 1/4 plate per rail to make it stock strength. Must be able to see it's bent. **BETTER TO ASK AND SEND PICTURE PRIOR TO SHOW!**